

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20070019407"	US-PGPUB; USPAT	OR	ON	2008/10/15 11:46
S2	1	"20070024642"	US-PGPUB; USPAT	OR	ON	2008/10/15 11:49
S3	1	"20070121190"	US-PGPUB; USPAT	OR	ON	2008/10/15 11:58
S4	1	"20070030259"	US-PGPUB; USPAT	OR	ON	2008/10/15 12:04
S5	1	"20070075956"	US-PGPUB; USPAT	OR	ON	2008/10/15 12:05
S6	1	("20020190975").PN.	US-PGPUB; USPAT	OR	ON	2008/10/15 16:06
S7	0	"6888322.pn"	US-PGPUB; USPAT	OR	ON	2008/10/15 16:10
S8	2	"6888322".pn. "6018332".pn.	US-PGPUB; USPAT	OR	ON	2008/10/15 16:10
S9	1567	345/211.ccls.	US-PGPUB; USPAT	OR	ON	2008/10/15 16:15
S10	5124	(display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1) same (around or peripheral or "near" or side ) with (light or emit\$4) with (group or array or series)	US-PGPUB; USPAT	OR	ON	2008/10/15 16:25
S11	12	S9 and S10	US-PGPUB; USPAT	OR	ON	2008/10/15 16:25
S12	746	S10 and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/15 16:29
S13	331	(wire\$1less\$1 or wire adj less or remote or portable or mobile) and (processor or control\$4 or cpu or "C.P.U") and S12	US-PGPUB; USPAT	OR	ON	2008/10/15 16:35
S14	50	(indicat\$4 or demonstrate) with (information or instruction) and S13	US-PGPUB; USPAT	OR	ON	2008/10/15 16:40

S15	51	(display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1) same (around or peripheral or "near" or side ) with (light or emit\$4) with (group or array or series) and 345/173.ccls.	US-PGPUB; USPAT	OR	ON	2008/10/15 17:00
S16	488	(indicat\$4 or demonstrate) with (information or instruction) and S10	US-PGPUB; USPAT	OR	ON	2008/10/15 18:15
S17	101	S16 and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/15 18:15
S18	589	(wire\$1less\$1 or wire adj less or remote or portable or mobile) and (processor or control\$4 or cpu or "C.P.U") and (display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1) and (around or peripheral or "near" or side ) with (light or emit \$4) with (group or array or series) same (detect \$4 or sens\$4 or determin \$6) with (position or direction or distan\$3)	US-PGPUB; USPAT	OR	ON	2008/10/15 18:26
S19	45	S18 and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/15 18:26
S20	352	(wire\$1less\$1 or wire adj less or remote or portable or mobile) and (processor or control\$4 or cpu or "C.P.U") and (display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1) and (around or peripheral or "near" or side ) with (light or emit \$4) with (group or array or series) with (detect\$4 or sens\$4 or determin\$6) with (position or direction or distan\$3)	US-PGPUB; USPAT	OR	ON	2008/10/15 18:37
S21	27	S20 and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/15 18:40
S22	1	"6229529".pn.	US-PGPUB; USPAT	OR	ON	2008/10/15 18:43
S23	1	"20010031122"	US-PGPUB; USPAT	OR	ON	2008/10/15 18:45

S24	1	"3584226".pn.	US-PGPUB; USPAT	OR	ON	2008/10/15 18:47
S25	1	"6525677".pn.	US-PGPUB; USPAT	OR	ON	2008/10/15 18:48
S26	1	"6734929".pn.	US-PGPUB; USPAT	OR	ON	2008/10/15 18:49
S27	3	"6864882".pn. "5179363".pn. "5414413".pn.	US-PGPUB; USPAT	OR	ON	2008/10/15 18:54
S28	23	"4916308"	US-PGPUB; USPAT	OR	ON	2008/10/15 18:56
S29	1	"4916308".pn.	US-PGPUB; USPAT	OR	ON	2008/10/15 18:56
S30	1	(wire\$1less\$1 or wire adj less or remote or portable or mobile) and (processor or control\$4 or cpu or "C.P.U") and (display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1) and (around or peripheral or "near" or side ) with (light or emit \$4) with (group or array or series) and (detect\$4 or sens\$4 or determin\$6) and (position or direction or distan\$3) and "20020118177"	US-PGPUB; USPAT	OR	ON	2008/10/16 11:59
S32	1	(emitter or "156") and "20020118177"	US-PGPUB; USPAT	OR	ON	2008/10/16 12:18
S33	15	(wire\$1less\$1 or wire adj less or remote or portable or mobile) and (processor or control\$4 or cpu or "C.P.U") and (display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1) and (around or peripheral or "near" or side ) with (light or emit \$4) with (group or array or series) with (detect\$4 or sens\$4 or determin\$6) with (position or direction or distan\$3)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 12:27
S34	79606	(position or distan\$4) with (indicat\$4 or detect \$4) with (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 13:10

S35	2544	S34 and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/20 13:10
S36	123	(display\$1 or screen\$1 or L\$1C\$1D\$1 or "LCD" or monitor\$1) same (around or peripheral or "near" or side ) with (light or emit\$4) with (group or array or series) and S35	US-PGPUB; USPAT	OR	ON	2008/10/20 13:11
S37	5626	(position or distan\$4) with (indicat\$4 or detect \$4) with (light or emitter) with (around or peripheral or "near" or (out adj side) or out \$1side )	US-PGPUB; USPAT	OR	ON	2008/10/20 13:15
S38	81656	4and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/20 13:16
S39	177	S37 and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/20 13:16
S40	5626	(around or peripheral or "near" or (out adj side) or out\$1side ) with (position or distan\$4) with (indicat\$4 or detect \$4) with (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 13:50
S41	2493	(peripheral or (out adj side) or out\$1side ) with (position or distan\$4) with (indicat\$4 or detect \$4) with (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 13:50
S42	95	S41 and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/20 13:51
S43	366	(peripheral or (out adj side) or out\$1side ) with (position or distan\$4) with (indicat\$4 or detect \$4 or sens\$4) adj (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 13:56
S44	17	S43 and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/20 14:01

S45	41	(peripheral or (out adj side) or out\$1side ) with (position or distan\$4) with (indicat\$4 or detect \$4 or sens\$4) with (intensity or color) with (change or adjust or var \$4) with (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:14
S46	3	(peripheral or (out adj side) or out\$1side ) with (position or distan\$4) with (indicat\$3 or detect \$3 or sens\$3) with (out adj put or out\$1put\$1) with (intensity or color) with (change or adjust or var\$4) same (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:19
S47	4	(peripheral or (out adj side) or out\$1side ) with (position or distan\$4) with (indicat\$3 or detect \$3 or sens\$3) with (out adj put or out\$1put\$1) with (intensity or color) same (change or adjust or var\$4) same (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:20
S48	6	(peripheral or (out adj side) or out\$1side ) with (position or distan\$4) with (indicat\$3 or detect \$3 or sens\$3) with (out adj put or out\$1put\$1) same (intensity or color) same (change or adjust or var\$4) same (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:20
S49	13	(peripheral or (out adj side) or out\$1side ) with (position or distan\$4) with (indicat\$3 or detect \$3 or sens\$3) same (out adj put or out\$1put\$1) same (intensity or color) same (change or adjust or var\$4) same (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:20

S50	149	(peripheral or (out adj side) or out\$1side ) same (position or distan\$4) same (indicat\$3 or detect\$3 or sens\$3) same (out adj put or out\$1put\$1) same (intensity or color) same (change or adjust or var\$4) same (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:20
S51	31	(peripheral or (out adj side) or out\$1side ) with (position or distan\$4) same (indicat\$3 or detect\$3 or sens\$3) same (out adj put or out\$1put\$1) same (intensity or color) same (change or adjust or var\$4) same (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:22
S52	10	(peripheral or (out adj side) or out\$1side ) with (position or distan\$4) same (indicat\$4) same (out adj put or out\$1put\$1) same (intensity or color) same (change or adjust or var\$4) same (light or emitter)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:27
S53	20	(peripheral or (out adj side) or out\$1side ) same (position or distan\$4) same (indicat\$4) same (out adj put or out\$1put\$1) same (intensity or color) same(light or emitter) with (change or adjust or var\$4)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:28
S54	510	intensity adj light adj var\$4	US-PGPUB; USPAT	OR	ON	2008/10/20 14:34
S55	80524	21and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/20 14:34
S56	17	S54 and "345".clas.	US-PGPUB; USPAT	OR	ON	2008/10/20 14:34
S57	8	intensity adj light adj var\$4 and (peripheral or (out adj side) or out\$1side ) with (position or distan\$4) with (indicat\$3 or detect\$3 or sens\$3)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:39

S58	8	S54 and (peripheral or (out adj side) or out \$1side ) with (position or distan\$4) with (indicat\$3 or detect\$3 or sens\$3)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:40
S59	3	(intensity or color) adj light adj var\$4 with (indicat\$3 or detect\$3 or sens\$3)and (peripheral or (out adj side) or out \$1side ) with (position or distan\$4)	US-PGPUB; USPAT	OR	ON	2008/10/20 14:44
S60	14	intensity adj light adj var \$4 with position	US-PGPUB; USPAT	OR	ON	2008/10/20 14:46
S61	187	(intensity or color) adj5 var\$4 with light with (indicat\$3 or detect\$3 or sens\$3) with position	US-PGPUB; USPAT	OR	ON	2008/10/20 14:49
S62	39	(intensity or color) adj5 (var\$4 or increase) with (object or entity) with light with (indicat\$3 or detect\$3 or sens\$3) with position	US-PGPUB; USPAT	OR	ON	2008/10/20 15:08
S63	81	(intensity or color) adj5 (var\$4 or increase) with (object or entity) with light with position	US-PGPUB; USPAT	OR	ON	2008/10/20 15:17
S64	0	(intensity or color) adj5 (var\$4 or increase) with (object or entity) with light adj (indicator or emitter or unit) with position	US-PGPUB; USPAT	OR	ON	2008/10/20 15:19
S65	0	(intensity or color) adj5 (var\$4 or increase) with (object or entity) same (light adj (indicator or emitter or unit)) with position	US-PGPUB; USPAT	OR	ON	2008/10/20 15:20
S66	1	(intensity or color) adj5 (var\$4 or increase) with position same (object or entity) same (light adj (indicator or emitter or unit))	US-PGPUB; USPAT	OR	ON	2008/10/20 15:21
S67	2	(intensity or color) adj5 (var\$4 or increase) same position same (object or entity) same (light adj (indicator or emitter or unit))	US-PGPUB; USPAT	OR	ON	2008/10/20 15:22

S68	224	(intensity or color) adj5 (var\$4 or increase)with light same position same (object or entity)	US-PGPUB; USPAT	OR	ON	2008/10/20 15:23
S69	39	(intensity or color) adj5 (var\$4 or increase) adj5 light same position same (object or entity)	US-PGPUB; USPAT	OR	ON	2008/10/20 15:23
S72	20	(intensity or color) adj5 (var\$4 or change or increase) with light same position same (move or relocate) with (object or entity)	US-PGPUB; USPAT	OR	ON	2008/10/20 15:27
S73	31	(intensity or color) adj5 (var\$4 or change or increase) near light same (move or relocate) with (object or entity)	US-PGPUB; USPAT	OR	ON	2008/10/20 15:33
S74	9	(intensity or bright\$4 or color) adj5 (var\$4 or change or increase) near light with (move or relocate) with (object or entity)	US-PGPUB; USPAT	OR	ON	2008/10/20 15:56
S75	9	(intensity or bright\$5 or color) adj5 (var\$4 or change or increase) near light with (move or relocate) with (object or entity)	US-PGPUB; USPAT	OR	ON	2008/10/20 15:56
S76	23	(intensity or color) with (var\$4 or change or increase) near (light nor reflect) same (move or relocate) with (object or entity)	US-PGPUB; USPAT	OR	ON	2008/10/20 16:04
S77	28	(intensity or color) with (var\$4 or change or increase) near (light nor reflect\$4) same (move or relocate) with (object or entity)	US-PGPUB; USPAT	OR	ON	2008/10/20 16:04
S78	0	"412674".pn.	US-PGPUB; USPAT	OR	ON	2008/10/20 16:48
S79	1	D412674.pn.	US-PGPUB; USPAT	OR	ON	2008/10/20 16:48
S80	1	"6674276".pn.	US-PGPUB; USPAT	OR	ON	2008/10/20 17:44



S81	16	(car or vehicle or truck) Reverse Backup Alarms (light or emit\$3)	US-PGPUB; USPAT	SAME	ON	2008/10/20 17:59
S82	0	("3528053" "3539978" "3705772" "3842397" "4015232" "4045766" "4119939").pn.	US-PGPUB; USPAT	SAME	ON	2008/10/20 18:06
S83	9	((("3528053") or ("3539978") or ("3705772") or ("3842397") or ("4015232") or ("4045766") or ("4119939")).PN.	USPAT; USOCR	OR	OFF	2008/10/20 18:06

10/21/2008 11:47:26 AM